### **Pakeeza Grease Kitchen**

#### **Head Office Lahore**

114 Gulberg Road, Gulberg

Industrial Area.

Behind Bloomfield Hall School.

Lahore - Pakistan.

Tel-+ 92 42-35777323~4

Cell / SMS / WhatsApp +92 3018469072

Email: pakeeza.raza@yahoo.com

### Pakeeza Display Center (Islamabad)

Executive Complex, Shop #12, G-8 Markaz, Islamabad

Tel+92 51 8469072

Cell / SMS / WhatsApp +92 3018469072

Pakeeza Display Center (Karachi)

Cell / SMS / WhatsApp +92 3018469072

#### **Our Website**

www.greasekitchen.net

#### **Our Facebook Page**

www.facebook.com/Pakeeza-Grease-Kitchens

#### **Our Instagram Page**

www.instagram.com/pakeezagreasekitchens

#### **Our Pinterest Page**

pinterest.com/pakeezagreasekitchen


#### **Our You Tube Channel**

Designed & Produced by

https://www.youtube.com/channel/ UCTS3S\_w6oYFQCcx-dOXg\_Hw/featured

## WATER HEAT GREASE AND KITCHEN

CATALOGUE



**Kitchen Evolved** 





### CONTENT

Page 4

Salamandar BBQ Grill

Page 5

Steak Grill

Page 6

Uprite D. Door Oven Unox Microwave Oven

Page 7

Hot Plate

Page 8

Teppanyaki Counter

Page 9

**Exhaust Hood** 

Page 10

Uprite Single Door Wall Shelves

Page 11

Cabinet with 1 Door and 3 Drawer Unit

Page 12

Exhaust Hood with built-in Fresh Air Deep Fat Fryer

Page 13

Centre Table with Cabinet with 2 Shelves & Swing Doors

Page 14

Tandoor Concepts
Stock Pot Stand

Page 15

Coffee Bean Grinder Ice Machines Combi Oven with Blast Freezer Blast Chiller Coffee Machine

Page 16

Cooking Range

Page 17

Cooking Blocks Models: CB1, CB2 & CB3

Page 18

Dishwasher Hood Type Trash Hole Table with Sink

Page 19

**Shelving Racks** 

Page 20

Sink Unit Drawer Unit

Page 21

Shawarma Machine

Page 22

Wall Cabinet Base Cabinet Page 23

Cutter & Vegetable Slicer Portable Lava Rock Grill

Page 24

Centrifugal Juicer 50 Citrus Juicer with Lever 10 Kitchen Blender 37 Dishwasher Undercounter Chiller

Page 25

Washer Extractor 10 kg Washer Extractor 14 kg Tumble Dryer 10 kg Tumble Dryer 13 kg Spotting Table

Page 26

8 kg Laundry LM 80 PEDP 8 kg Laundry ES 80 PEE

Page 27

Ironing Board Professional Steam Iron Laundry Trollies Garment Rack

Page 28

**Dry Cleaning Press** 

Page 29

Ironing Table

Page 30

Flatwork Iron





### SALAMANDAR

Ref.	Power	Quartz tubes	Outside dimensions	Cooking area	Inside height	Weight	Volts
BAR 1000	2 kW	4	450x300x305 mm	350x240 mm	75 mm	9 kg	230 V

- Compact toaster with infrared quartz tubes: rays of 1050°C.
- Fast temperature rise in less than 30 s.
- Instant cooking at core, without smoke or smell.
  To cook, reheat or brown or reheat baguettes, buns, sandwiches, croquemonsieur, pizzas, puffs, onion soups, lasagna...

Cleaning: dishwasher-safe back panel and crumb tray.
Features: quartz tubes selector, timer 15min with lock position for non-stop use, pilot lights, removable handle.
Patented protection grids for quartz tubes.
Option: sandwich tong (F01013).

### BBQ GRILL C



BBQ Pits are used for grilling meat with Gas Burner, Fire Stones supplied with our grills for uniformity while grilling, it is a traditional way of grilling which also keeps meat juicy. It is made with 1.2mm non magnetic food grade stainless steel. Glass wool insulation ensures durability.

#### BBQ Grill gas 24" Depth

Size	Model	Brand
36" x 24" x 35"	GK36BBO24	Pakeeza

#### BBQ Grill gas 30" Depth

Size	Model	Brand
36" x 30" x 35".	GK36BBQ30	Pakeeza



### STEAK GRILL C



Steak Grill / Charboiler is widely used to grill meat / chicken / seafood / beef on a flame. Fire clay stones helps distribute heat without direct flame. It can do all 4 doneness. Rare / Medium / Medium Well & Well Done.

### Steak Grill / Charboiler (24" depth) Size Model

Size	Model	Brand
18" x 24" x 35"	GK18SGG24	Pakeeza
24" x 24" x 35"	GK24SGG24	Pakeeza

### Steak Grill / Charboiler (30" depth) Size Model

Size	Model	Brand
18" x 30" x 35"	GK18SGG30	Pakeeza
24" x 30" x 35"	GK24SGG30	Pakeeza



### UPRITE D.DOOR C

#### **Double Door**

Model	PDC 2	PDF 2
Temperature	+2~+8°c	-6~-18°c
Cooling system	Ventilated	Ventilated
Unit dimension	48"x30"x76"	48"x30"x76"
Shipping dimension	49"x33"x78"	49"x33"x78"
Voltage	220V/50Hz	220V/50Hz
Material	Stainless Steel	Stainless Steel
Refrigerant	R134a	R404
Digital Display	Digital	Digital
Type of defrost	Electric	Electric
Compressor	Secop	Tucumseh
Lock	NO	NO
Type of expansion valve	Capillary	Capillary
Material of shelves	Iron PVC Coated	Iron PVC Coated
Gross weight	145kg	150kg
Brand	Pakeeza	Pakeeza

## OVEN UNOX MADE IN ITALY



4 TRAYS	LED
Model	XEFT-04HS-ELDV
Opening type	Up-to-down
Type of lock	Manual lock
Pitch	75 mm
Frequency	50 / 60 Hz
Voltage	230V 1N -
Electrical power	3 kW
Dimensions WxDxH (mm)	600x669x500
Weight	39 kg

Trays Included 460x330mm Art.: TG305

3 TRAYS	LED
Model	XEFT-03EU-ELDV
Opening type	Up-to-down
Type of lock	Manual lock
Pitch	75 mm
Frequency	50 / 60 Hz
Voltage	230V 1N -
Electrical power	3 kW
Dimensions WxDxH (mm)	800x811x425
Weight	46 kg

Trays Optional 600 x 400mm

### MICROWAVE OVEN



3 OVENS IN 1 = MICROWAVE + GRILL + CONVECTION **EUROTEC RIGA MADE IN ITALY** 

- 1. Digital Display
- 2. Electronic Touch
- 3. Microwave
- 4. Grill
- 5. Convection
- 6. Function Microwave + Grill
- 7. Function Microwave + Convection
- 8. "Quick Start" Pad
- 9. Interior Cavity Stainless Steel
- 10. Outercase Brushed Stainless Steel



### HOT PLATE C

Hot Plate/ Flat Top/ Griddle Plate is ideal for stir frying, sauté, grilling, bun warming, patties & pancakes etc. These Hot Plates are made with 18swg non magnetic food grade stainless steel.

Hot Plates are controlled by ball valve with pipe burner which gives equal heat distribution. Italian adjusters are used for height adjustment till 1inch.

HOT PLATE (GRIDDLE)			HOT PLATE (GRIDDLE)		
Size	Model	Brand	Size	Model	Brand
18" x 24" x 35"	GK18HPG24	Pakeeza	18" x 30" x 35"	GK18HPG30	Pakeeza
24" x 24" x 35"	GK24HPG24	Pakeeza	24" x 30" x 35"	GK24HPG30	Pakeeza



## TEPPANYAKI COUNTER C

The Teppanyaki Plate is special equipment for making Japanese Cuisine. It is made up of 18 swg non magnetic food grade stainless steel. Food grade welding is done to protect welding area from corrosion.

Flat top mild steel plate is used which is in smooth finish. It is ball valved controlled with center burner only due to which side area becomes warm zone and the cooking part remains in center.

Oil drip tray can be either way on Lhs or Rhs. Italian adjusters are used for height adjustment till 1 inch.

### Teppanyaki Counter (24" Depth)

Size	Model	Brand
24" x 24" x 35"	GK24TEPPG24	Pakeeza
36" x 24" x 25"	GK36TEPPG24	Pakeeza

### Teppanyaki Counter (30" Depth)

Size	Model	Brand
24" x 30" x 35"	GK24TEPPG30	Pakeeza
36" x 30" x 35"	GK36TEPPG30	Pakeeza

### Teppanyaki Counter (Drop In)

Size	Model	Brand
18"x 24"x 12"	GK18TMTEPPG24	Pakeeza
24" x 24" x 12"	GK24TMTEPPG24	Pakeeza





### EXHAUST HOOD C



Non magnetic food grade stainless steel Exhaust Vent Hoods are the most considerable area of kitchen, they ventilate the hot air through a blower system installed on outside area. There are 2 versions of hoods, wall mounted & Island, both have grease filters & grease traps included. 1.2mm complete stainless steel.

## Wall Mounted Exhaust Hood Single Skin with Grease filters & Grease Trap No Ducting & Blowers For 24" Depth Hot Line

Item Name	Size	Model	Brand
Wall Mounted Exhaust Hood	24"X27"X18"	GK24NEH30	Pakeeza
Wall Mounted Exhaust Hood	30"X27"X18"	GK30NEH30	Pakeeza
Wall Mounted Exhaust Hood	36"X27"X18"	GK36NEH30	Pakeeza
Wall Mounted Exhaust Hood	48"X27"X18"	GK48NEH30	Pakeeza
Wall Mounted Exhaust Hood	60"X27"X18"	GK60NEH30	Pakeeza
Wall Mounted Exhaust Hood	72"X27"X18"	GK72NEH30	Pakeeza
Wall Mounted Exhaust Hood	84"X27"X18"	GK84NEH30	Pakeeza
Wall Mounted Exhaust Hood	90"X27"X18"	GK90NEH30	Pakeeza
Wall Mounted Exhaust Hood	108"X27"X18"	GK108NEH30	Pakeeza
Wall Mounted Exhaust Hood	120"X27"X18"	GK120NEH30	Pakeeza
Wall Mounted Exhaust Hood	132"X27"X18"	GK132NEH30	Pakeeza
Wall Mounted Exhaust Hood	144"X27"X18"	GK144NEH30	Pakeeza

## Wall Mounted Exhaust Hood Single Skin with Grease filters & Grease Trap No Ducting & Blowers For 30" Depth Hot Line

Item Name	Size	Model	Brand
Wall Mounted Exhaust Hood	24"X33"X18"	GK24NEH33	Pakeeza
Wall Mounted Exhaust Hood	30"X33"X18"	GK30NEH33	Pakeeza
Wall Mounted Exhaust Hood	36"X33"X18"	GK36NEH33	Pakeeza
Wall Mounted Exhaust Hood	48"X33"X18"	GK48NEH33	Pakeeza
Wall Mounted Exhaust Hood	60"X33"X18"	GK60NEH33	Pakeeza
Wall Mounted Exhaust Hood	72"X33"X18"	GK72NEH33	Pakeeza
Wall Mounted Exhaust Hood	84"X33"X18"	GK84NEH33	Pakeeza
Wall Mounted Exhaust Hood	90"X33"X18"	GK90NEH33	Pakeeza
Wall Mounted Exhaust Hood	108"X33"X18"	GK108NEH33	Pakeeza
Wall Mounted Exhaust Hood	120"X33"X18"	GK120NEH33	Pakeeza
Wall Mounted Exhaust Hood	132"X33"X18"	GK132NEH33	Pakeeza
Wall Mounted Exhaust Hood	144"X33"X18"	GK144NEH33	Pakeeza



### UPRITE SINGLE DOOR C



Model	PSC 1	PSF 1
Temperature	+2~+8°c	-6~-18°c
Cooling system	Ventilated	Ventilated
Unit dimension	28"x30"x76"	28"x30"x76"
Shipping dimension	29"x33"x78"	29"x33"x78"
Voltage	220V/50Hz	220V/50Hz
Material	Stainless Steel	Stainless Steel
Refrigerant	R134a	R134a
Digital Display	Digital	Digital
Type of defrost	Electric	Electric
Compressor	Secop	Secop
Lock	NO	NO
Type of expansion valve	Capillary	Capillary
Material of shelves	Iron PVC Coated	Iron PVC Coated
Gross weight	85kg	90kg
Brand	Pakeeza	Pakeeza

## WALL SHELVES C



Wall Shelves are in 2 depths. 15" & 12" + 6 Widths

### Depth 15 inches

- cp		
Size	Model	<b>Brand</b>
18" x 15"	GK18WMS15	Pakeeza
24" x 15"	GK24WMS15	Pakeeza
36" x 15"	GK36WMS15	Pakeeza
42" x 15"	GK42WMS15	Pakeeza
60"x15"	GK60WMS15	Pakeeza
72"x15"	GK72WMS15	Pakeeza

### Depth 12 inches

Size	Model	<b>Brand</b>
18" x 12"	GK18WMS12	Pakeeza
24" x 12"	GK24WMS12	Pakeeza
36" x 12"	GK36WMS12	Pakeeza
42" x 12"	GK42WMS12	Pakeeza
60"x12"	GK60WMS12	Pakeeza
72"x12"	GK72WMS12	Pakeeza



# CABINET WITH 1 DOOR CAND 3 DRAWER UNIT

Cabinet with selection of 1/2/3 doors & a 3 Drawers UNIT comes in 2 depths. 24" & 30" & 2 Widths

### 24" Depth

Size	Model	Brand
36"x24"x35"	GK36NE1D3DR24	Pakeeza
42" x 24" x 35"	GK42NE1D3DR24	Pakeeza
60" x 24" x 35"	GK60NE2D3DR24	Pakeeza
72" x 24" x 35"	GK72NE3D3DR24	Pakeeza

#### 30" Depth

20 2 cp		
Size	Model	Brand
36"x30"x35"	GK36NE1D3DR30	Pakeeza
42" x 30" x 35".	GK42NE1D3DR30	Pakeeza
60" x 30" x 35"	GK60NE2D3DR30	Pakeeza
72" x 30" x 35"	GK72NE3D3DR30	Pakeeza



# EXHAUST HOOD with built-in Fresh Air



Wall Mounted Exhaust Hood Double Skin with Grease filters & Grease Trap No Ducting & Blowers For 30" Depth Hot Line

Item Name	Size	Model	Brand
Wall Mounted Exhaust Hood	24"X41"X24"	GK24NEHF41	Pakeeza
Wall Mounted Exhaust Hood	30"X41"X24"	GK30NEHF41	Pakeeza
Wall Mounted Exhaust Hood	36"X41"X24"	GK36NEHF41	Pakeeza
Wall Mounted Exhaust Hood	48"X41"X24"	GK41NEHF41	Pakeeza
Wall Mounted Exhaust Hood	60"X41"X24"	GK60NEHF41	Pakeeza
Wall Mounted Exhaust Hood	72"X41"X24"	GK72NEHF41	Pakeeza
Wall Mounted Exhaust Hood	84"X41"X24"	GK84NEHF41	Pakeeza
Wall Mounted Exhaust Hood	90"X41"X24"	GK90NEHF41	Pakeeza
Wall Mounted Exhaust Hood	108"X41"X24"	GK108NEHF41	Pakeeza
Wall Mounted Exhaust Hood	120"X41"X24"	GK120NEHF41	Pakeeza
Wall Mounted Exhaust Hood	132"X41"X24"	GK132NEHF41	Pakeeza
Wall Mounted Exhaust Hood	144"X41"X24"	GK144NEHF41	Pakeeza

### DEEP FAT FRYER C



Maximize your profits by combining more efficiency with more capacity in this all-purpose, affordable fryer. Basic Frying At Its Best - Designed For All - Purpose Usage. Fry a wide variety of french fries & a main entree menu selections.

Make the most of your energy with our exclusive Tube design. The heating tubes provide a large oil contact surface. Controlled flow tube baffles maximize oil heat absorption. As a result, more energy is transferred to the oil and less goes unused up the vent. The benefits are quick heat-up time, low idle costs and low gas consumption per load of product cooked. The 1" (2.54 cm) drain valve makes cleaning fast and easy.

#### **Deep Fat Fryers**

Item Name	Model	Size	Tank Oil Capacity	Brand
Single Vat Single Basket	GKF1VG241B	15"x24"x35"	12 Ltr	Pakeeza
Single Vat Double Basket	GKF1VG301B	15"x30"x35"	12 Ltr	Pakeeza



### **CENTER TABLE** with CABINET with 2 SHELVES & SWING DOORS



- It has a smooth, clean & firm look.
   Smooth high processed edges.
   Less crockery breakage.
   Easily movable.

- Easily Movable.
   Durable & long life during operation, no chance of bacteria growth.
   Working tables are made up of 1.2mm non magnetic food grade stainless steel.
   Shelves underneath are also 1.2mm non magnetic food grade stainless steel.
   It has a Center Shelf and a Swing Door with unmatchable quality.

#### 24" Depth

Size	Model	Brand
42" x 24" x 35"	GK42CT24	Pakeeza
60"x24"x35"	GK60CT24	Pakeeza
72"x24"x35"	GK72CT24	Pakeeza
30" Depth		

30" Deptn		
Size	Model	Brand
42" x 30" x 35"	GK42CT30	Pakeeza
60"x30"x35"	GK60CT30	Pakeeza
72"x30"x35"	GK72CT30	Pakeeza



## TANDOOR CONCEPTS C



The one instrument no Pakistani restaurant can do without. The tandoor provides a flavour like no other. If you've ever wondered why tandoori cooking is so rich and flavourful, here is your answer: The Tandoori Oven.

Dishes like Roti, Naan, Chicken Tikka, Tandoori Chicken, Tandoori Lamb, Prawns, Sheekh Kabab, and many vegetarian dishes cannot be made without this tandoor.

#### Tandoor

Item Name	Size	Model	Brand
Steel or Clay Inside	30" x 30" x 35"	TGC30	Pakeeza

### STOCK POT STAND



Stock Pot Stands are used for cooking in big pots and traditional Asian daigs. These are made of 18 & 22 swg non magnetic food grade stainless steel. Food grade welding is done to protect welded area from corrosion.

Size	Model	Brand
18" x 18" x 18"	GK18SPS18	Pakeeza
24" x 24" x 18"	GK24SPS18	Pakeeza



### COMBI OVEN with Blast Freezer



Combi oven (steam, hot air, combi) with automatic cooking for pasteurization, smoking, sous vide, drying, prepare cakes and desserts, frying, steaming, browning, searing, cooking in Delta T and Low Temperature. Fan with auto-reverse function for reversal of rotation direction and 6 fan speeds (1 intermittent), patented control system. Patented direct humidity control while cooking. Dual level steam generation. Library programs with 150 automatic and stored cooking programs. Complete recipes with ingredients, preparation, cooking methods and tips for the presentation of the plate, with photography. 100% automatic Cook & Chill programs with integrated BE-1. Simultaneous Multi-cooking with: simultaneously compatible cooking processes, multi-timer (20 times) and use up to 2 core probes. ECO function for the consumption reduction in cooking and washing. Automatic washing system with triple-action sanitization effect, totally automatic, requiring no outside help for every single washing and the operator does not handle the chemical product. Seven washing programs. Structure made in AISI 304 stainless steel, AISI 316L in cooking chamber.

**Energy Control** Pre-Setting for remote control of power peaks

Capacity in GN containers 6 x 1/1GN

5 - with accessory Capacity in 60x40cm containers Portions for cooking process

Multipoint, standard Product core probe Automatic and Multi-time Simultaneous cooking

Automatic cooking

Colour interactive digital Display Door knob

Left-hand opening even with full hands Automatic washing With triple-action sanitizing effect

Power supply Electricity

400V 3N~ / 230V 3~ / 50÷60 Hz Working voltage

Net Weight 115 kg Gross Weight 127 kg Packing Width 101 cm Packing Height 101,6 cm Packing Depth 96,5 cm Width 92 cm Height 78.5 cm Depth 90,1 cm Electric Power 12 kW Electric supply height 46 cm Cold water 14,5 l/h Cold water diameter 3/4" Cold water connection height 46 cm Water drain diameter

Water drain height 1 cm Dimensions 92x90,1x78,5 cm Packing 101x96,5x101,6 cm

### COFFEE MACHINE

# FOR **ESPRESSO** B2016 DE **LOVERS** ONLY

The new B2016 espresso coffee machines range resume main BEZZE-RA's distinctive marks: reliability, robustness, versatility

#### MAIN TECHNICAL FEATURES

Thermostatically controlled groups: the 50W electrical resistance keeps the group temperature stable, even under heavy duty conditions. Copper boiler: enables the optimum steam and hot water productivity;

levels are automatically managed by a control box.

Heat Exchangers: operated with an hydraulic circuit separated from the boiler, coffee is always prepared with fresh water.

Safety: double safety system, guaranteed by the boiler high-temperature cut-off thermostat and the hydraulic overpressure valve. Robustness: B2016 body is entirely made of stainless steel AISI 304

Versatility: :the large working area and the special grids allow to use up to 13 cm high cups.

Reliability:: a selection of top quality components grant the performances in all working conditions.

#### SPECIFIC CHARACTERISTICS

DE Version

In DE electronic version, a control box manages the coffee dosing programmed by the user; you may programme 4 different coffee doses for each group.

#### CONSTRUCTION DETAILS

Painted steel plate body and satined stainless steel (AISI 304). Copper hydraulic system.

### **BLAST CHILLER**

Multifunction blast chiller and freezer made of AISI 304 stainless steel. Production per cycle: 16 kg from +90°C to +3°C at product core in 90 minutes; 10 kg from +90°C to -18°C at product core in 240 minutes. Inner compartment useful for 5 levels GN 1/1 containers. Exclusive functioning in combination with Level 3 COMBISTAR FX ovens, multipoint probe, connection cable to the oven 10 m delivered. Preset for stacking of combi ovens 6 and 10 levels GN 1/1.



### COOKING RANGE



Our Cooking Range is made of 18 & 22swg non magnetic food grade stainless steel and controlled by ball valve. Food grade welding is done to protect welded area from corrosion. Die casted nozzle burners are used for good pressure on natural gas as well as on LPG. Ovens have static heat system, temperature control and dial temperature meter for temperature reading. Italian adjusters are used for height adjustment till 1 inch. Cooking Range with oven and without oven, both are available.

#### 24" Cooking Range with Base Cabinet (Burner Size 12" x 12" or 9" x 9")

Item Name	Size	Model	Brand
2 Burners side by side	36" x 24" x 35"	GK36SBSCRCG24	Pakeeza

#### 24" Cooking Range Burners in one row with Base Cabinet (Burner Size 12" x 12" or 9" x 9")

Item Name	Size	Model	Brand
2 Burners in 1 row	36" x 24" x 35"	GK36ROCRCG24	Pakeeza
3 Burners in 1 row	48" x 24" x 35"	GK48ROCRCG24	Pakeeza
4 Burners in 1 row	72" x 24" x 35"	GK72ROCRCG24	Pakeeza

#### 30" Cooking Range with Base Cabinet (Burner Size 12" x 12" or 9" x 9")

Item Name	Size	Model	Brand
2 Burners front & back	18" x 30" x 35"	GK182FBCRCG30	Pakeeza
4 Burners 2 front & 2 back	36" x 30" x 35"	GK364FBCRCG30	Pakeeza
6 Burners 3 front & 3 back	48" x 30" x 35"	GK486FBCRCG30	Pakeeza
5 Burners 3 front & 2 back	60" x 30" x 35"	GK605FBCRCG30	Pakeeza

#### 30" Cooking Range with Oven (Burner Size 12" x 12" or 9" x 9")

Item Name	Size	Model	Brand
4 Burners 2 front & 2 back with oven	36" x 30" x 35"	GK364FBCROG30	Pakeeza
6 Burners 3 front & 3 back with oven	48" x 30" x 35"	GK486FBCROG30	Pakeeza
5 Burners 3 front & 2 back with oven	60" x 30" x 35"	GK605FBCROG30	Pakeeza







### **SPO Units are Designed and produced under Special Production Orders, Delivery Time May differ**

### COOKING BLOCK C Model: CB1



#### **Cooking Block Seamless Top with Base Cabinet & Built In Equipments Item Name**

24" Cooking Hob Electric 4 Plates Grill Electric (Lava Rock) 12" Oven Electric Static 24"

Complete size of Seamless Cooking Block 42"x24"x35"

### COOKING BLOCK C Model: CB2



#### Cooking Block Seamless Top with Base Cabinet (Burner Size 12" x 12") **Item Name**

Cooking Range 2 Burners Side By Side (12" x 12") 36"x24"x35" Hot Plate 24"x24"x35" Grill 24"x24"x35"

Complete size of Seamless Cooking Block 84"x24"x35"

### COOKING BLOCK C Model: CB3



### 30" Cooking Block Seamless Top with Base Cabinet (Burner Size 12" x 12")

Item Name Size Brand Cooking Range 2 Burners front (12" x 12") & 1 Back (9" x 9") 54"x30"x35" Pakeeza 18"x30"x35" Hot Plate 18"x30"x35"

Complete size of Seamless Cooking Block 90"x30"x35"



### DISHWASHER HOOD TYPE C



### **Hood Type (Model RC07)**

Temp Indicator

Hood type machine, electromechanical controlled, 42liter tank,

full tank stainless steel filters, stainless steelwash and rinse arms.

4 cycles. Output: 40 racks/h

624x740x1460 External size AxBxC Overall size 500x500 [mm] 42 3,5 0,7 2,2 Tank size Rinse water consumpt Wash pump Tank heater element [kW] Booster heater element [kW] [kW] Installed load 90 40 Short cycle [sec] Output racks [rack/h] 120 Long cycle [sec] Electrical supply 400V/3N/50Hz BruitNoise 65 108 [dBA] Weight Control panel [kg] Electromechanical

CROSS-PP Wash arm CROSS-PP Rinse arm Optional

Detergent injector Rinse aid injector Standard Optional Sanitizing injector

Water softener Optional Drain pump

### TRASH HOLE TABLE WITH SINK

Optional



Non magnetic food grade stainless steel sink are used for washing all kinds of food & non food. Stainless steel smooth finish gives nice ambiance. Due to its firm & smooth finish it does not allow bacteria growth. Crockery breakage become less.

Our Sink Tables are made of 18 swg non magnetic stainless steel.

Food grade welding is done to protect welded area from corrosion.

Sink Bowl are die press one piece jointless. Legs are made up of (1 ½"x1 ½") non magnetic stainless steel pipe. Italian adjustable are used and can adjust the height of the Sink tables till  $1 \frac{1}{2}$ ". Unmatchable finish.

### Trash Hole Table introduced to collect trash within the counter through regular bin without exposing it

Trash Hole Table with Pre Rinse Sink 30" Depth with 18"x 18" Bowl

#### 1 BOWL + 1 TRASH HOLE

#### 24" Depth

Size	Model	Recommended	Brand
42" x 24" x 35"	GK42NWSTH24	Bowl: 24"x17"x10"	Pakeeza

#### 30" Depth

Size	Model		Brand
42" x 30" x 35"	GK42NWSTH30	Bowl: 24"x17"x10"	Pakeeza



### SHELVING RACKS C



Non magnetic food grade stainless steel Racks are used for cold storage & dry storage areas of kitchens. Each shelf can hold weight of 50Kgs

Our Racks are made up of 18 swg non magnetic & food grade stainless steel. Food grade welding is done to protect welded area from corrosion.

L TYPE Legs are made up of (1  $\frac{1}{2}$ "x1  $\frac{1}{2}$ ") non magnetic & food grade stainless steel. Completely bolted. Easy to dismantle & prefixing.

#### Powder Coated Racks with 4 Shelves

Item Name	Size	Model	Brand
Powder Coated Racks with 4 Shelves	42"x18"x72"	GK42NESR18	Pakeeza



## SINK UNIT C

Non magnetic food grade stainless steel sinks are used for washing all kinds of food & non food. Stainless

Non magnetic food grade stainless steel sinks are used for washing all kinds of food & non food. Stainless steel smooth finish gives nice ambiance.

Due to its firm & smooth finish it does not allow bacteria growth.

Crockery breakage become less. Our Sink Units are made of 18 SWG non magnetic stainless steel. Food grade welding is done to protect welded area from corrosion. Sink Bowl are die press one piece jointless.

Legs are made up of (1 ½"x1 ½") non magnetic stain less steel pipe.

Italian adjustables are used and can adjust the height of the Sink tables till 1 ½". 3 Sides Closed + Base Shelf & Front Swing Doors with unmatchable finish.

It has front swing door.

Sink cabinets are in 2 depths. 24" & 30" & 3 Widths with doors and base shelf

(Selection of Built in Trash Hole as per requirement)

24" Depth			Selection o	f Bowl Sizes	
Size	Model	Brand	Model	Sizes	Brand
24" x 24" x 35"	GK24NWS24	Pakeeza	18V	18"x18"x10"	Pakeeza
36" x 24" x 35"	GK36NWS24	Pakeeza	24V	24"x17"x10"	Pakeeza
42" x 24" x 35"	GK42NWS24	Pakeeza	30 V	30"x18"x10"	Pakeeza

30" Depth				
Size	Model	Brand		
24" x 30" x 35"	GK24NWS30	Pakeeza		
36" x 30" x 35".	GK36NWS30	Pakeeza		
42" x 30" x 35"	GK42NWS30	Pakeeza		

### DRAWER UNIT



3 Drawers UNIT available in 2 depths. 24" & 30" & 2 Widths 18" & 24"

#### 24" Depth

Size	Model	Brand
18" x 24" x 35"	GK18NE3DR24	Pakeeza
24" x 24" x 35"	GK24NE3DR24	Pakeeza
30" Depth		

Jo Depui		
Size	Model	Brand
18" x 30" x 35".	GK18NE3DR30	Pakeeza
24" x 30" x 35"	GK24NE3DR30	Pakeeza



### SHAWARMA MACHINE C



The meat is roasted slowly on all sides as the spit rotates in front of a flame for hours. This machine is made with 22swg nn magnetic food grade stainless steel. It has 3 burners and operated on Gas/ LPG. Electric motor allows rotation at low speed. Adjustment of burners at desired level is also a feature of this product.

#### Shawarma Machine

Item Name	Size	Model	Brand
Single Rod	20"x24"x35"	SSRG	Pakeeza



### WALL CABINET C



Complete stainless steel double skin doors with custom made handles & matchless finish with swing & sliding doors.

Wall cabinets are in 2 depths.

15"& 12" Widths with doors and centre shelf

#### 12" Depth

Size	Model	Brand
18" x 12" x 24"	GK18WMC12	Pakeeza
24" x 12" x 24"	GK24WMC12	Pakeeza
36" x 12" x 24"	GK36WMC12	Pakeeza
42" x 12" x 24"	GK42WMC12	Pakeeza
60"x12"x24"	GK60WMC12	Pakeeza
72"v12"v24"	GK72WMC12	Pakaaza

#### 15" Depth

Size	Model	Brand
18" x 15" x 24"	GK18WMC15	Pakeeza
24" x 15" x 24"	GK24WMC15	Pakeeza
36" x 15" x 24"	GK36WMC15	Pakeeza
42" x 15" x 24"	GK42WMC15	Pakeeza
60"x15"x24"	GK60WMC15	Pakeeza
72"x15"x24"	GK72WMC15	Pakeeza

## BASE CABINET C



- 1. It has a smooth, clean & firm look.

- Smooth high processed edges.
   Easily movable.

- It has a smooth, clean & firm look.
   Less crockery breakage.
   Durable & long life during operation, no chance of bacteria growth.
   Working tables are made up of 1.2mm non magnetic food grade stainless steel.
   Shelves underneath are also 1.2mm non magnetic food grade stainless steel.
   Three sides are closed with Swing Doors.
   Option available for Lockable
   It has a Center Shelf and a Swing Door with unmatchable quality.
- 9. Option available for Lockable Doors.

#### Base cabinets are in 2 depths. 24" & 30" & Widths with doors and centre shelf

24" Depth			30" Depth		
Size	Model	Brand	Size	Model	Brand
18" x 24" x 35"	GK18NEBC24	Pakeeza	18" x 30" x 35".	GK18NEBC30	Pakeeza
24" x 24" x 35"	GK24NEBC24	Pakeeza	24" x 30" x 35"	GK24NEBC30	Pakeeza
36" x 24" x 35"	GK36NEBC24	Pakeeza	36" x 30" x 35".	GK36NEBC30	Pakeeza
42" x 24" x 35"	GK42NEBC24	Pakeeza	42" x 30" x 35"	GK42NEBC30	Pakeeza
60"x24"x35"	GK60NEBC24	Pakeeza	60"x30"x35"	GK60NEBC30	Pakeeza
72"x24"x35"	GK72NEBC24	Pakeeza	72"x30"x35"	GK72NEBC30	Pakeeza



### CUTTER & VEGETABLE SLICER



### R 211 XL Ultra

Power 550 Watts Single phase Voltage One speed

1500 rpm stainess steel with handle Cutter bowl

Ejection continuous

220 x 360 x 445 mm Dimensions (LxWxH)

Gross weight 13.45 kg

Ref. 2122 - R 211 XL Ultra 230V/50/1

### PORTABLE LAVA ROCK GRILL



Power	<b>Outside Dimensions</b>	Weight	Volts
2.5 kW	300x545x160 mm	8 ka	230 V





### CENTRIFUGAL JUICER 50

You can make any kind of fruit and vegetable juices and keep all the vitamines with the juice extractor #50. Easy to use, silent and powerful, it is the ideal appliance for juice bars, hotels, restaurants and health food stores.

Single phase: 100-120 V – 50/60Hz – 800 W CE – UL – NSF 220-240 V - 50 / 60Hz - 800 W CE - KC Speed: 3000rpm (50Hz) 3600rpm (60Hz)

Net: 14kg (31lbs) Shipping: 16kg (35lbs)

Output 100 l/h

### CITRUS JUICER WITH LEVER 10



This citrus juicer with lever is the ideal product to use everywhere you need a freshly squeezed citrus juice: juice bars, health food stores, bars, restaurants, ice cream shops, institutions...

Single phase 100 - 120 V - 50/60 Hz - 260 W 220 - 240 V - 50/60 Hz - 230 W

**Speed** 1500 rpm (50 Hz) 1800 rpm (60 Hz) **Weight** Net: 9,2 kg (20,3 lbs) Shipping: 9,6 kg (22 lbs)

Packed D: 300 mm (12") D: 340 mm (13") W: 200 mm (8") W: 250 mm (10") H: 380 mm (15") H: 450 mm (17")

### KITCHEN BLENDER 37



Model

The kitchen blender #37 is the ideal appliance for mixing, liquefying, grinding, crushing... to make all kinds of hot and cold preparations: gazpachos, soups, purées, creams...

It quickly crushes hard ingredients (ice cubes, lobster carcass...).

#### Ideal for restaurants, institutions, hospitals, child care centers, hotels and ice-cream shops.

Single phase: 220-240 V – 50/60 Hz – CE Max input power: 1 550W Max output power : 1200W Speed: from 0 to 18000 rpm (50Hz / 60Hz)

**Weight** Net: 11kg (24 lbs) Shipping: 13kg (28.5lbs)

AxBxC

D

[mm]

[mm] [mm] [mm] [lt] [lt] [kW] [kW] [kW] [kW] [rack/h] [sec] [dBA] [kg]

Jug Capacity



#### (Model RF45-1)

C/W Drain pump & Dispensers

Made in Italy

Undercounter glasswasher, electromechanically controlled, Wash and rinse temperature controlled by thermostats, Built in S/S Booster with safety thermostate, Built in rinse aid dispensers.40 racks/h (480 wine glasses per hour)

racks/11 (460 wille glasses per flour)			
External size	600x626x825		
Overall size	1.036		
Clearance	360		
Rack size	500x500		
Tank size	21		
Rinse water consumption	3,5		
Wash pump	0,45		
Tank heater element	2		
Booster heater element	3		
Installed load	3,45		
Short cycle	90		
Output racks	40		
Long cycle	180		
Electrical supply	230V/50Hz		
Noise	63		
Weight	58		
Control panel	Electromechanical		
Wash arm	CROSS-PP		
Rinse arm	CROSS-PP		
Detergent injector	Optional		
Rinse aid injector	Standard		
Sanitizing injector	Optional		
Air gap	-		
Water softener	-		

Optional

### **—UNDERCOUNTER CHILLER**

		_
Model	PUC48C	PUC48F
Temperature	+2~+8°c	-6~-18°c
Cooling system	Ventilated	Ventilated
Unit dimension	48"x30"x35"	48"x30"x35"
Shipping dimension	49"x31"x39"	49"x31"x39"
Voltage	220V/50Hz	220V/50Hz
Material	Stainless Steel	Stainless Steel
Refrigerant	R134a	R134a
Digital Display	Digital	Digital
Type of defrost	Electric	Electric
Compressor	Secop	Secop
Lock	NO	NO
Type of expansion valve	Capillary	Capillary
Material of shelves	Iron PVC Coated	Iron PVC Coated
Gross weight	95kg	100kg
Brand	Pakeeza	Pakeeza

Temperature	+2~+8°c	-6~-18°c
Cooling system	Ventilated Cooling	Ventilated Cooling
Unit dimension	60"x30"x35"	60"x30"x35"
Shipping dimension	61"x31"x39"	61"x31"x39"
Voltage	220V/50Hz	220V/50Hz
Material	Stainless Steel	Stainless Steel
Refrigerant	R134a	R134a
Digital Display	Digital	Digital
Type of defrost	Electric	Electric
Compressor	Danfoss/Secop	Danfoss/Secop
Lock	NO	NO
Type of expansion valve	Capillary	Capillary
Material of shelves	Iron PVC Coated	Iron PVC Coated
Gross weight	100KGS	105KG
Brand	Pakeeza	Pakeeza

PUC60C

PUK60F



### **WASHER** EXTRACTOR 10 kg

High spin washer extractor 8 kg CW 10 IPSO capacity electrically heated. 1000 rpm – G – factor 365

White painted outer panel and stainless steel inner drum Electronic display with 5 standard wash program Induction motor with standard inverter drive Electric power 5 kW . 380/3/50

### **WASHER** EXTRACTOR 14 kg

IY 135 High Spin washer extractor 13 kg capacity IPSO

electrically heated.

Stainless steel drum, frontal and up panel.

Painted sides and back panels Easy loading and unloading. Safe & ergonomic door handle Heavy duty bearing house.

With friendly user ARES Computer

Electric connection 380V-3Ph-60Hz Drum diameter 620 mm 135 **l** Drum volume 1075 rpm Speed G – Force 400 9 kW Heating power

Dimension 795L x 945D x 1225H mm

Net weight 255 kg

### **TUMBLE** DRYER 10 kg

Tumble dryer electrically heated with capacity 10 kg White painted outer panel and galvanized drum. Oversized lint filter Noiseless exhaust blower Touch pad control system. Electric power 6 kW Voltage 380/3/50

# TUMBLE DRYER 13 kg

Tumble dryer electrically heated, 13,6 kg capacity / cycle. Galvanized drum

White painted external body

Cable gland. Micro processor PRO

Electric power 380V - 3Ph - 50 Hz Drum diameter 673 mm

762 mm Drum depth 576 mm Door opening 0,20 kW Power motor Air outlet diam. 152 mm

### SPOTTING TABLE



Rotondi

Spotting table with Stainless steel working surface and spotting arm. With built-in 0,50 Hp vacuum motor. Equipped with 2 tanks for chemicals 2 spotting guns and 1 drying gun To be connected to central air compressor

#### **Technical specification:**

Electric voltage 230/1/50 Air in**l**et 1/4" 0,50 Hp Motor power

1200L x 420D x 900H mm Dimension

55 kg Gross weight





### 8kg LAUNDRY

LM 80 PEDP High Spin washer extractor 8 kg capacity

Imesa electrically heated.

Compact machine suitable for domestic installation

Attractive stainless steel AISI 304 caising and wash drum Hot and cold water connections

All lifters are removable for easy cleaning of drum

Load distribution and gentle washing- "ACTIVE DRUM TM" system

Steel door seal, ensures hygienic washing cycle and a clean drum without germs

Flexible program structure with 28 program available Disinfection programs at 90°C, 60°C e 40°C

MOP programs for cleaning companies

Available with peristaltic pumps (on request)

98 % of the parts is recycleable

Electric connection 380V-3Ph-50Hz Drum dimension 595x700x850 mm

Drum volume 80Ltrs
Speed 1400 rpm
G – Force 385
Heating power 4.6 kW

Dimension 640x775x920 mm

Net weight 94 kg

Included 2950OPLEVO3L Kit 3 = peristaltic automatic dosing pumps with programmable washing formulas

### 8kg LAUNDRY

**ES 80 PEE** Tumble dryer electrically heated , 8 kg

Imesa

Compact machine suitable for domestic installation

Attractive stainless steel AISI 304 caising and wash drum

BUTTERFLY drying system prevents the clothes from bundling and creasing

Safety system stops cycle if the tumble dryer is opened during drying

The condenser is easy to remove and clean

Double lint filter, easy to clean

Robust brushless induction motor with one-way operation leads to longer life-

time, lower noise and faster drying

Two additional supporting rolls for better stability – also for heavy loads.

vailable drying programs


The heat pump dryers can be installed in rooms with a lower level of ventilation

Electric power 230V – 1Ph – 50 Hz Drum dimention 595x745x850mm

Drum Volume 145 Ltrs
Drying Speed 52 Rpm
Air outlet diam. 100 mm
Heating power 0.9 kW

Heating power 0.9 kW
Dimension 640x809x920 mm

Gross weight 64 k





### IRONING BOARD

#### **PLine PLine Ironing board EASY TABLE**

Folding vacuum and heated ironing table Suction operated pedal control Adjustable in height Garment tray Support for separate iron - without iron -It can be easily stored 230V 50 Hz 1ph

### PROFESSIONAL STEAM IRON



#### **PLine Professional Steam Iron EASY IRON**

Steam generator with professional iron (1Kg) and silicon steam hose Boiler capacity 1,5 lt Cable holder rod Protective lid 230V 50HZ 1ph Total Package with 8Kg Washer + Dryer + Vacuum heated ironing board Packing included Validity offer March 31, 2022

### LAUNDRY TROLLIES



201/N40 NON perforated anodized aluminium alloy structure laundry trolley capacity 316 lt, mobile on Rotondi two fixed with brakes and two swivel casters

diam 100 mm.

Dimension 1050 x 550 x 775 h mm

NON perforated anodized aluminium alloy 201/N50 structure laundry trolley capacity 186 lt, mobile on Rotondi

two fixed with brakes and two swivel casters

diam 100 mm.

Dimension 860 x 510 x 650 h mm

### **GARMENT RACK**

Mod 176 R 80 Chromed garment rail size 1500 x 1500 with

Pakeeza Side extension of 500 mm Equipped with 4

80 mm wheels



### DRY CLEANING PRESS



BL CO 90/AUT/ AC - Rotondi

Air operated dry cleaning utility press with built-in steam generator 24 lt, 12 kW, 380/3/50. 0,50Hp vacuum motor and water feed pump .

Utility Buck shape with 2 push buttons operated

press head and head protection bar. Pedal controlled vacuum action. With built-in 2 Hp Air Compressor

Steam working pressure 5 bar **Technical specification:** 

Motor exhaust fan Hp 0,50 / kW 0.37

Boiler capacity 24 **l**t 12 kW Boiler heating element 20 kg / h Steam output Steam pressure 5 bar

Hp 0.70 / kW 0.50 Water pump power

15 kW Power consumptions Water inlet 1/2" Water outlet 1/2"

Overall dimension 1400L x 1300D x 1200H mm

Gross weight 300 kg



### IRONING TABLE

PVT 38 Vacuum and electrically heated ironing table, Rotondi With built-in steam boiler 8 lt, 5 kW 380/3/50

0,50 Hp vacuum motor, water feed pump and

1 pc electric steam iron.

Complete of RSF3 + RA5 - swinging arm with sleeve buck shape

**Technical specification:** 

0,8 kW

Buck heating element Electric power V380/Ph3/50hz

0,8 kW Electric steam iron

Motor exhaust fan Hp 0,60 / kW 0.45

Boiler capacity 8 **l**t Boiler heating element 5 kW Steam output 8 kg/h Steam pressure 3 bar

Water pump power Hp 0.50 / kW 0.37 7 kW

Power consumptions Water in**l**et 3/4" Water outlet 1/2"

1500L x 590D x 900H mm 135 kg Overall dimension

Gross weight



## FLATWORK IRON



I30-160AV IPSO

Flatwork Ironer, electrically heated , with roll dimension 1600 x 300 mm . Output capacity 50 kg/h Frontal return . Variable speed

Heating power Electric connection

12 kW 380V – 3Ph – 50 Hz

Length Depth Height Weight 2090 mm 552 mm 1073 mm 220 kg